

# 1024 x600 LCD وحدة 30 دبوس TFT LCD شاشة 7 بوصة TFT LCD وحدة MIPI DSI



## PRODUCT INFORMATION


T F T L C D D I S P L A Y

<b>اسم LCD.</b>	1024 x600 LCD وحدة 30 دبوس TFT LCD شاشة 7 بوصة MIPI DSI مع واجهة LCD شاشة TFT شاشة 7 بوصة		
<b>حجم LCD</b>	LCD وحدة IPS بوصة 7	<b>القرار</b>	1024 (RGB) دقة X600
<b>عمق اللون</b>	16.7 مليون	<b>نسبة التباين</b>	800: 1.
<b>مخطط البعد</b>	163.64x 97.11 x 2.60mm	<b>منطقة نشطة (HXV MM)</b>	154.21x85.92mm.
<b>عرض الاتجاه</b>	الكل	<b>واجهه المستخدم</b>	دبوس 30 MIPI, LVDS,
<b>الإضاءة الخلفية</b>	أبيض الصمام في المسلسل / الموازي 27	<b>سطوع</b>	400CD / M2.
<b>درجة حرارة التشغيل</b>	-20 °C ~ 70 °C	<b>الإضاءة الخلفية توريد الحالية / الجهد</b>	فولت 9.3 170mA

- \* (LCD) هو عرض النشط من النوع النشط من نوع النشط KWH070KQ40-F07.
- \* الإضاءة الخلفية، FPC، برنامج التشغيل IC، LCD TFT، يتكون من لوحة.
- \* LCD TFT الدقة وحدة 1024x600 هو 1024.
- \* تتوفر LCD / M2 الإضاءة الخلفية مع خيارات سطوع مختلفة من 200 - 1500.
- \* يمكن تصميم لوحة تعمل باللمس محددة وتخصيصها.
- \* بنفايات والوصول إلى المتوافقة.
- \* إذا لم تتمكن من العثور على واحد مناسب، فاتصل بنا للحصول على توصية.

# PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

## PRODUCT DETAILS



- High contrast reaches to 800:1
- With EK79007AD & EK73215B IC & 27 White LED
- 30 Pin FPC MIPI & LVDS Interface
- Good resolution with 1024x600
- 7" Widescreen With 16.7M Color Depth
- Support OEM & ODM Service

# APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system