

# TFT LCD 5 480 X272 LCD



## PRODUCT INFORMATION

TFT LCD DISPLAY

<b>اسم LCD</b>	LCD 5 دقة 480 بوصة وحدة X272 بوصة رخيصة TFT LCD 5 شاشة		
<b>اكتب</b>	LCD بوصة وحدة 5	<b>القرار</b>	480 دقة (RGB) X272
<b>(وقت الاستجابة (مللي ثانية</b>	30	<b>نسبة التباين</b>	500: 1
<b>البعد المخطط</b>	ملم 120.70 × 75.80 × 3.10	<b>(مم HxV) منطقة نشطة</b>	ملم 110.88x62.832
<b>عرض الاتجاه</b>	06:00	<b>واجهه المستخدم</b>	دبوس 40 ، RGB بت 24
<b>الإضاءة الخلفية</b>	لید 12	<b>سطوع</b>	350cd / 2 م
<b>درجة حرارة التشغيل</b>	-20 °C ~ 70 °C	<b>التيار / الجهد لإمداد الإضاءة الخلفية</b>	مللي أمبير ، 19.2 فولت 40

\* عبارة عن شاشة عرض بلورية سائلة ذات مصفوفة نشطة ملونة من النوع الانتقالي V.1 KWH050ST18-F04 (LCD).

\* إضاءة خلفية ، FPC ، IC مشغل ، TFT LCD يتكون من لوحة.

\* بدقة TFT LCD 272 × 480 إنها وحدة.

\* تتوفر الإضاءة الخلفية مع خيارات سطوع مختلفة من 200 - 1500 شمعة / متر مربع.


\* يمكن تصميم لوحة اللمس الخاصة وتخصيصها.

\* متوافق مع RoHS & REACH.

\* إذا لم تتمكن من العثور على واحد مناسب ، فاتصل بنا للحصول على توصية.


# PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

## PRODUCT DETAILS



- High contrast reaches to 500:1
- With ILI6480B IC & 12 White LED
- 40 Pin FPC 24 BIT RGB Interface
- Good resoltuion with 480x272
- 5" TFT LCD Display With 16.7M Color Depth
- Support OEM & ODM Service

# APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system