

# QVGA TFT 320x240 3.5inch LCM TFT LCD 3.5inch



## PRODUCT INFORMATION


T F T L C D D I S P L A Y

<b>اسم LCD.</b>	وحدة QVGA TFT 320x240 3.5inch LCM TFT LCD 3.5inch بوصة شاشة		
<b>اكتب</b>	وحدة LCD IPS بوصة 3.5	<b>الدقة</b>	320 (RGB) دقة X240
<b>وقت الاستجابة (MS)</b>	25.	<b>نسبة التباين</b>	400: 1.
<b>مخطط البعد</b>	76.90x 63.90 x 3.30 مم	<b>منطقة نشطة (HXV MM)</b>	70.08x52.56mm.
<b>عرض الانحاف</b>	00:00	<b>واجهه المستخدم</b>	دبوس 54، RGB بت 24
<b>الإضاءة الخلفية</b>	أدى 6	<b>سطوع</b>	250CD / M2.
<b>درجة حرارة التشغيل</b>	-20 °C ~ 70 °C	<b>الإضاءة الخلفية توريد الحالية / الجهد</b>	20MA، 3.3 فولت

- \* (LCD) هو عرض النشط من نوع النشط من اللون النشط KWH035ST48-F01.
- \* الإضاءة الخلفية، FPC، برنامج التشغيل IC، LCD TFT يتكون من لوحة.
- \* LCD TFT دقة وحدة شاشة 320x240 هو.
- \* اختياري مع لوحة اللمس بالسعة وشاشة تعمل باللمس المقاوم.
- \* تتوفر ICD / M2 الإضاءة الخلفية مع خيارات سطوع مختلفة من 200 - 1500.
- \* يمكن تصميم لوحة تعمل باللمس محددة وتخصيصها.
- \* بنفايات والوصول إلى المتوافقة.
- \* إذا لم تتمكن من العثور على واحد مناسب، فاتصل بنا للحصول على توصية.

# PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

## PRODUCT DETAILS



- High contrast reaches to 400:1
- With HX8238-D IC & 6 White LED
- 54 Pin FPC 24-bit RGB Interface
- Good resoluion with 320x240
- 3.5" TFT LCD module with 12 O'Clock viewing direction
- Support OEM & ODM Service

# APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system