QVGA □□□□ TFT 320 □□□□ 3.5 □□□x240 TFT LCD 3.5inch LCM □□□□

اسم LCD.	QVGA شاشة TFT 320 بوصة 3.5 عرضx240 TFT LCD 3.5inch LCM وحدة		
اكتب	3.5 بوصة IPS وحدة LCD	الدقة	320 (RGB) دقة X240
وقت الاستجابة (MS)	25.	نسبة التباين	400: 1.
مخطط البعد	76.90x 63.90 × 3.30 مم	منطقة نشطة (HXV MM)	70.08x52.56mm.
عرض الاتجاه	00:00	واجهه المستخدم	24 بت RGB، 54 دبوس
الإضاءة الخلفية	6 أدى	سطوع	250CD / M2.
درجة حرارة التشغيل	-20 ℃ ~ 70 ℃	الإضاءة الخلفية توريد الحالية / الجهد	20MA، 3.3 فولت

* KWH035ST48-F01 هو عرض النشط من نوع النشط من اللون النشط (LCD).
* يتكون من لوحة LCD TFT، IC برنامج التشغيل، FPC، الإضاءة الخلفية.
* 320 هوx240 دقة وحدة شاشة LCD TFT.
* اختياري مع لوحة اللمس بالسعة وشاشة تعمل باللمس المقاوم.
* 1500 - 200 من مختلفة مع خيارات سطوع الإضاءة الخلفيةCD / M2 تتوفر.
* يمكن تصميم لوحة تعمل باللمس محددة وتخصيصها.
* بنفايات والوصول إلى المتوافقة.
* إذا لم تتمكن من العثور على واحد مناسب، فاتصل بنا للحصول على توصية.

PRODUCT DISPLAY

TFT LCD DISPLAY



TFT LCD DISPLAY

PRODUCT DETAILS

- High contrast reachs to 400:1
- With HX8238-D IC & 6 White LED
- 54 Pin FPC 24-bit RGB Interface
- Good resoltuion with 320x240
- 3.5" TFT LCD module with 12 O'Clock viewing direction
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system