□□□□ LCD □□□□ □□□□ 1.28 □□□□□□ LCD 240 * 240 □□□□ LCD TFT

اسم LCD	شاشة LCD بوصة شاشة 1.28 دائرية LCD 240 * 240 وحدة LCD TFT		
حجم شاشة LCD	1.28 بوصة وحدة LCD	**الدقة**	240 (RGB) X240 بكسل
عمق اللون	262 ألفًا	**نسبة التباين**	1100: 1
البعد المخطط	35.60 × 38.10 × 1.50 مم	**منطقة نشطة (HxV مم)**	32.40x32.40 ملم
عرض الاتجاه	الكل	**واجهه المستخدم**	SPI ، 24 دبوس
الإضاءة الخلفية	2 مصباح LED أبيض	**سطوع**	350cd / 2 م
درجة حرارة التشغيل	-20 ℃ ~ 70 ℃	**التيار الخلفي / التيار الكهربائي**	40 فولت ، 3.1 مللي أمبير

* KWH012ST01-F01 عبارة عن شاشة بلورية سائلة مصفوفة نشطة من نوع الكريستال السائل (LCD).
* يتكون من لوحة TFT LCD ، مشغل IC ، FPC ، إضاءة خلفية ، CTP.
* إنها وحدة TFT LCD 240 × 240 بدقة.
* تتوفر الإضاءة الخلفية بخيارات سطوع مختلفة من 200 - 1500 cd / m2.
* يمكن تصميم وتخصيص لوحة اللمس الخاصة.
* متوافق مع RoHS و REACH.
* إذا لم تتمكن من العثور على واحدة مناسبة ، فاتصل بنا للحصول على توصية.

PRODUCT DISPLAY

T F T L C D D I S P L A Y

T F T L C D D I S P L A Y

PRODUCT DETAILS

- High contrast ratio reachs to 1100:1
- 24 Pin FPC RGB interface
- 1.28 Inch 240x240 Round TFT LCD Display
- With GC9A01 IC & 2 White LED In parallel
- With Capacitive Touch Panel
- Processing customization

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system