

تتميز أجهزة كشف تسرب المياه الذكية هذه بواجهة مستخدم بسيطة وسهلة الاستخدام، مما يجعلها مناسبة لجميع المستخدمين. تتميز أيضًا بتصميمها المدمج والمبتكر، مما يجعلها خيارًا مثاليًا لحماية ممتلكاتك من التلف الناتج عن تسرب المياه.



Water Alarm Leak Detector

Audible and visual alarm

130DB



Work with
A

Work with
G

مواصفات المنتج	
اسم	جهاز كشف تسرب المياه الذكي مع إنذار صوتي وصوتي
نوع المنتج	حساس تسرب المياه الذكي مع إنذار صوتي وصوتي
نموذج الشبكات / البروتوكول اللاسلكي	واي فاي 2.4 جيجا هرتز / زي جي بي 3.0

- انقر على أيقونة كاشف تسرب المياه، وادخل إلى الواجهة. قم بإخراج المسبار، وستحتوي الواجهة على إشعار: لم يتم اكتشاف ماء.
- انقر على أيقونة كاشف تسرب المياه، وادخل إلى الواجهة. ضع المسبار في الماء، وستحتوي الواجهة على إشعار: لاحظ، تم اكتشاف الماء.

□□□□□□:

- 00000 00000000 0000 000000 00.
- 00000000 130 0000 00000 000000.
- 00000000 000000000 00000000.
- 000000000 000000 00 0000000000 00000000000.
- 00000000 00000000 0000 000000 00.
- 0000000000 00 00000000.
- 0000 00 00000000.
- 000000000 00000000.
- 0000000 0000 0000000000 Wifi 000000000 ZigBee.
- 00000000000 000000000 00000 00 00000000 00000000 00000 00000 0000 0000 0000 0000) .0000000000 000000)
- 00000000 000000 0000.
- 000000000 000000 00000 000000000 00000000 0000.
- 000000000 00000000000 000000000 0000) .000000000 000000000000000000 0000)

130DB Loud Alarm

The maximum alarm volume is 130DB, the volume can be adjusted, and the red and blue light flashes alternately when the alarm is generated



Low Power Consumption

Ultra-low power consumption, durable battery life, low power when the APP push low power reminder, please replace the battery in time, use AAA*2 battery (shipped without battery)



Deploy & Withdraw Defenses

Click layout, double click to remove the defense, long press for 3 seconds to silence the sound, long press for 8 seconds to reset the device.



Two Monitoring Modes Real Time Monitoring Reminder

Real time monitoring of
water leakage alarm/water level alarm



Water leakage
detection



Low water
level detection



APP Remote Control

No matter what city, country, or place you are in, your smartphone can receive a push of information and check the status



Voice Control

Through A[redacted] and G[redacted] Assistant,
the door opening and closing
status can be easily understood


A[redacted], what's the status
of water leak sensor?


Water leak sensor detects
no leaks in the Bathroom.



WiFi version: 2.4G WiFi is required

ZigBee version: Connect to the ZigBee gateway





Product Specification

INTELLIGENT SECURITY PROTECTION

Wireless Type :	2.4GWi-Fi / Zigbee3.0
Alarm volume:	130DB
Standby current:	<10uA
Battery:	AAA*2
Operating Temperature:	-10 Celsius - 40 Celsius (14degF-104degF)
Operating Humidity:	20% - 85%
Storage Temperature:	-10 Celsius -60 Celsius (14degF-140degF)
Storage Humidity:	0% - 90%
Standby time:	6 - 12 months