

3,5 palcový TFT modul 320 * 480 LCD displej IPS 3,5 " HVGA 320x480 TFT LCD displej




Název LCD	3,5 palcový TFT modul 320 * 480 LCD displej IPS 3,5 " HVGA 320x480 TFT LCD displej		
Velikost LCD	3,5palcový LCD modul	Řešení	Rozlišení 320 (RGB) X480
Barevná hloubka	65 tis	kontrastní poměr	700: 1
Obrysová dimenze	56.54x 84,96 x 2,20 mm	Aktivní plocha (HxV mm)	48,96 x 73,44 mm
Směr pohledu	VŠECHNO	Rozhraní	MCU, 38 pinů
Podsvícení	6 bílých LED paralelně	Jas	300 cd / m2
Provozní teplota	-20 °C ~ 70 °C	Napájecí proud / napětí podsvícení	90 mA, 3,2 V

- * KWH035ST28-F01 je transmisivní barevný displej s aktivní maticí z tekutých krystalů (LCD).
- * Skládá se z TFT LCD panelu, IC ovladače, FPC, podsvícení.
- * Je to TFT LCD modul s rozlišením 320x480.
- * K dispozici je podsvícení s různými možnostmi jasu od 200 do 1 500 cd / m2.
- * Lze navrhnout a přizpůsobit konkrétní dotykový panel.
- * Vyhovuje směrnici RoHS a REACH.
- * Pokud nemůžete najít vhodný, kontaktujte nás a vyžádejte si doporučení.


PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

PRODUCT DETAILS



- High contrast reaches to 700:1
- With ILI9488 IC & 6 White LED
- 38 Pin FPC MCU Interface
- Good resoltuion with 320x480
- 3.5" IPS TFT LCD with free view angle
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system