

800x480 RGB rozhraní TFT LCD panel TFT 7 palců LCD displej LCD displej s 50 pinem FPC



PRODUCT INFORMATION


T F T L C D D I S P L A Y

LCD Jméno	800x480 RGB rozhraní TFT LCD panel TFT 7 palců LCD displej LCD displej s 50 pinem FPC		
LCD velikost	7 palcový LCD modul	Rozlišení	800 (RGB) X480 rozlišení
Barevná hloubka	16.7m.	kontrastní poměr	500: 1.
Obrys dimenze	164.90x 100.00 x 5,7 mm	Aktivní oblast (HXV mm)	154.08x85,92 mm.
Směr sledování	6 hodin	Rozhraní	Digitální, 24 bitový RGB, 50 pin
Podsvícení	27 Bílá LED	Jas	450CD / m2.
Provozní teplota	-20 ~ 70 °C	Podsvícení napájecí proud / napětí	180mA 9.6v.

- * KWh070kq38-f03 V.1 je transmisivní typ barevný displej tekutý krystal displej (LCD).
- * Skládá se z panelu TFT LCD, ovladače IC, FPC, podsvícení.
- * Je to 800x480 rozlišení TFT LCD modul.
- * Podsvícení s různými možnostmi jasu z roku 200 - 1500CD / m2 jsou k dispozici.
- * Specifický dotykový panel lze navrhnout a přizpůsobit.
- * RoHS & REACH kompatibilní.
- * Pokud nemůžete najít vhodnou, kontaktujte nás, abyste získali doporučení.

PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

PRODUCT DETAILS



- High brightness reaches to 450 cd/m²
- 50 Pin Digital 24-bit RGB Interface
- 7 Inch 800x480 TFT LCD Panel
- Anti- Glare surface treatment
- A-si TFT display element
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system