

Capacitive 2.8 " Dotyková obrazovka TFT zobrazuje 2,8 palce 240x320 IPS LCD modul



LCD Jméno	Capacitive 2.8 " dotykový displej TFT zobrazuje 2,8 palce 240x320 LCD modul		
LCD velikost	2,8 palce IPS LCD modul	Řešení	240 (RGB) X320 pixel
Barevná hloubka	65k / 262k.	kontrastní poměr	800: 1.
Obrys dimenze	46.80x 65,35 x 2,25mm	Aktivní oblast (HXV mm)	43.20x57.60 mm.
Směr sledování	Všechno	Rozhraní	RGB, 40 pin
Podsvícení	4 LED	Jas	200CD / m2.
Provozní teplota	-20 °C ~ 70 °C	Podsvícení napájecí proud / napětí	60 mA, 3.3v.
Ovladač ic.	ili9341.		

* KWh028q34-c01 je malý transmisivní typ barevně aktivní matrice kapalný krystal displej (LCD).

* Skládá se z panelu TFT LCD, ovladače IC, FPC, podsvícení, CTP.

* Je to 240x320 rozlišení TFT LCD modul.

* Podsvícení s různým možností jasu z roku 200 - 1500CD / m2 jsou k dispozici.


* Specifický dotykový panel lze navrhnout a přizpůsobit.

* RoHS & REACH kompatibilní.

* Pokud nemůžete najít vhodnou, kontaktujte nás, abyste získali doporučení.

PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

PRODUCT DETAILS



- High contrast reaches to 800:1
- With ILI9341 IC & 4 White LED
- 40 Pin FPC RGB Interface
- Good resolution with 240x320
- 2.8" IPS TFT LCD module with free viewing direction
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system