

Kulatý LCD displej Kruhový 1,28 palcový LCD displej 240 * 240 TFT LCD modul



Název LCD	Kulatý LCD displej Kruhový 1,28 palcový LCD displej 240 * 240 TFT LCD modul		
Velikost LCD	1,28 palcový LCD modul	Rozlišení	240 (RGB) X240 pixelů
Barevná hloubka	262k	kontrastní poměr	1100: 1
Obrysová kóta	35,60 x 38,10 x 1,50 mm	Aktivní plocha (VxV mm)	32,40 x 32,40 mm
Prohlížení směru	Všechno	Rozhraní	SPI, 24 pinů
Podsvícení	2 bílá LED	Jas	350 cd / m2
Provozní teplota	-20 °C ~ 70 °C	Proud / napětí podsvícení	40 mA, 3,1 V

* KWH012ST01-F01 je malý barevný aktivní displej s tekutými krystaly (LCD) typu Round Transmissive.

* Skládá se z TFT LCD panelu, IC ovladačů, FPC, podsvícení, CTP.

* Jedná se o TFT LCD modul s rozlišením 240x240.

* K dispozici je podsvícení s různými možnostmi jasu od 200 - 1500 cd / m2.


* Specifický dotykový panel lze navrhnout a přizpůsobit.

* RoHS a REACH kompatibilní.

* Pokud nemůžete najít vhodného, kontaktujte nás a my vám doporučíme.

PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

PRODUCT DETAILS



- High contrast ratio reaches to 1100:1
- 24 Pin FPC RGB interface
- 1.28 Inch 240x240 Round TFT LCD Display
- With GC9A01 IC & 2 White LED In parallel
- With Capacitive Touch Panel
- Processing customization

APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system