Schermo LCD LCD LCD a 2 pollici 240x320 TFT con 36 perno

Nome LCD	Schermo LCD LCD LCD a 2 pollici 240x320 TFT con 36 perno		
Tipo	Modulo LCD da 2 pollici	**Risoluzione**	240 (RGB) X320 Pixel
Driver IC.	ST7789V.	**Rapporto di contrasto**	350: 1.
Dimensione delineata	36.10x 51.90 x 2,40mm	**Area attiva (HXV mm)**	30.60x40.80mm.
Direzione della direzione	12 in punto	**Interfaccia**	8/16 BIT MCU, 36 PIN
Retroilluminazione	3 LED in parallelo	**Luminosità**	250cd / m2.
temperatura di esercizio	-20 ℃ ~ 70 ℃	**Rifornimento di retroilluminazione corrente / tensione**	45mA, 3.2V.

* KWH020ST23-F01 è un piccolo display a cristalli liquidi a matrice a matrice attiva a colori trasmissivi (LCD).
* È composto da un pannello LCD TFT, driver IC, FPC, retroilluminazione.
* È un modulo LCD TFT risoluzione 240x320.
* Sono disponibili retroilluminazioni con diverse opzioni di luminosità da 200 a 1500cd / m2.
* Pannello touch specifico può essere progettato e personalizzato.
* Rohs & Reach Compliant.
* Se non riesci a trovarne un adatto, contattaci per ottenere una raccomandazione.

PRODUCT DISPLAY

TFT LCD DISPLAY



TFT LCD DISPLAY



PRODUCT DETAILS

- Small Size LCD Display
- With ST7789V IC & 3 White LED
- 36 Pin FPC MCU Interface
- Good resoltuion with 240x320
- 2" TFT LCD With 65k Color Depth
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system