

# 320 \* 240 TFT LCD FPC LCD FPC 3.5 RGB MCU SPI



## PRODUCT INFORMATION


T F T L C D D I S P L A Y

|     |   |        |                  |
|-----|---|--------|------------------|
| LCD | 320 * 240 TFT LCD FPC LCD FPC 3.5 RGB MCU SPI |        |                  |
| LCD | 3.5 LCD                                       | 320    | 320 RGB X240     |
|     | 64K / 262K                                    | 300    | 300              |
|     | 76.90 x 63.90 x 4.20 mm                       | HXV MM | 70.08 x 52.56 mm |
|     | 6   | 50     | 50 RGB SPI MCU   |
|     | 6 LED   | 500cd  | 500cd / m2       |
| IC  | SSD2119                                       | 40mA   | 40mA 3.3V        |

- \* KWH035ST54-F01 LCD
- \* TFT LCD IC FPC
- \* 320x240 TFT LCD
- \* 250~1500cd / m2
- \* RoHS Reach
- \*


# PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

## PRODUCT DETAILS



- High brightness reaches to 500 cd/m<sup>2</sup>
- With SSD2119 IC & 6 White LED In parallel/serial
- 50 Pin FPC RGB, Serial and MCU Interface
- Good resolution with 320x240
- 3.5" TFT LCD Display Module
- Support OEM & ODM Service

# APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system