800 * 480□□□□□□□□□□7□□□LCD□□□□□□□□□□□□□□□□□□□□□□□□800□□□TFT 7.0 '' LCD□□□



LCD□□□	800 * 480□□□□□□□□□□7□□□LCD□□□□□□□□□□□□□□□□□□□□□□□□800□□□TFT 7.0 '' LCD□□□		
LCD□□□	7□□□LCD□□□□□	□□	800□RGB□x 480□□□□
□□□	16.7□□□□	□□□□□□□	500□1
□□□□□□□□□□□□□□	164.90x 100.00 x 5.5mm	□□□□□□□□□**HXV MM**□	154.08x85.92mm
□□□□□	12□	□□□□□□□	□□□□□24□□□RGB□50□□
□□□□□	27□□□□LED	□□	800cd / m2
□□□□	-20~70℃	□□□□□□□/□□	180mA 9.6V
□□□□□□□□**a - Si TFT**□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□			

* KWH070KQ38-F05 V.1□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□LCD□□□□
* TFT LCD□□□□□□□□□IC□FPC□□□□□□□□□□□□□□□□□□
* 800×480□□□□TFT LCD□□□□□□□□
* 200~1500cd / m2□□□□□□□□□□□□□□□□□□□□□□□□□□□□
*□□□□□□□□□□□□□□□□□□□□□□□□□□□
* RoHS□Reach□□□□
*□□

PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

PRODUCT DETAILS

- High brightness reachs to 800cd/m²
- Anti- Glare surface treatment & a-si TFT
- 50 Pin FPC 24 BIT RGB Interface
- Good resoltuion with 800x480
- 7" TFT LCD With 12 O'clock viewing angle
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system