7□□□LCD□□□□□□□□□7□□□800x480 TFT LCD□□□□□□□□□□KWH070KQ38-F04 V.2□

LCD□	7□□□LCD□□□□□□□□□7□□□800x480 TFT LCD□□□□□□□□□□KWH070KQ38-F04 V.2□		
LCD□□□	7□□□LCD□□□□□	□□	800□RGB□X480□□□□
□□□	16.7M	□□□□□□□	500□1
□□□□	164.90x 100.00 x 7.0mm	□□□□□□□□□**HxV mm□**	154.08x85.92mm
□□□□	12□	□□□□□□□□	□□□□□24□□□RGB□50□□
□□□□□□	27□□LED	□□	300cd / m2
□□□□	-20□70℃	□□□□□□□□□□□/□□	180mA 9.6V
□□□□□□□□□□□□□**a-si TFT**□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□			

* KWH070KQ38-F04 V.2□□LCD□□□□
* TFT LCD□□□□□□□□□□IC□FPC□□□□□□□□□RTP□□□□□□□□□□□
*□□□800x480□TFT LCD□□□□□□□□□
* 200□1500cd / m2□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
*□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
* RoHS□□□REACH□□□□
*□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

KWH070KQ38-F04 V.2□□800x480□□□□□□□□□□□□□□□□□□□□□□□□□□7□□□LCD□□□□□□□□□□□□□□□□□□□□□□□□□□GPS□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□RGB□□□□□□□□□□□□□□□□□□□□□□□□□□□ □ HDMI LCD□□□□□□□□□□□□□□□□□□□□□

□□7□□□LCD□□□ 7□□□TFT LCD□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

PRODUCT DISPLAY
TFT LCD DISPLAY


TFT LCD DISPLAY
PRODUCT DETAILS
Transmissive screen & Normally white
Anti- Glare surface treatment & a-si TFT
50 Pin FPC 24 BIT RGB Interface
Good resoltuion with 800x480
7" TFT LCD With Resistive Touch Screen
Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system