AAA ______ **Wifi ZigBee** _______



CHILITITI 13008
13008 101111 101111111111111111111111111
1000 ±2 0µA 1000 12g 1000 14g7200000 10000000000000000000000000000000
12 <u>0</u> 000 000 1000 1000
-10°CD40°C
0000 20%-85%RH
1000 -10°C) 60 °C
0000000 0%-90%RH
00000 89mm*36mm*29mm
0000 PIR 0000 0000 *1 / 0000 0000 *1 / 0000 0000

• 0000 **PIR** 000000000000000

Wifi PIR 000000000ZigBee 00000000000000000000000000000000000
• DDDDAAA * 2DDDDDDDDDDDDDDDDDDDDDDDDDDDD
• DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
ZigBee
• DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
Wi-Fi
• 🖂:
130db
• 00000000:
PIR;

 \bullet


 \bullet





4 ALARM MODES






Mobile APP control


24-hour remote monitoring, Knowing the situation at home through the mobile APP allows you to really travel with confidence





Alarm Information Push Switch

Turn on this switch, trigger the sensor in the disarmed state, there will be a push message; Closed without






In the home, multiple sensors are installed in different locations, such as doors, kitchens, bedrooms, etc., through the connection with other smart home devices, smart life can follow you where you go



Family Sharing Control

Main account has the exclusive permissions, one click to share the permissions with the whole family. let the family enjoy the fun of smart life!





Product Specification

INTELLIGENT SECURITY PROTECTION

Wireless Type: 2.4G Wi-Fi/ Zigbee3.0

Alarm volume: 130DB

Standby current: <20uA

Battery: AAA*2

Operating Temperature: -10 Celsius - 40 Celsius (14degF-104degF)

Operating Humidity: 20% - 85%

Storage Temperature: -10 Celsius -60 Celsius (14degF-140degF)

Storage Humidity: 0% - 90%

Standby time: 12 months