

Tuya Smart Zigbee



Tuya Smart Zigbee	
品牌	Zigbee
型号	HK-K009
工作电压	100V
工作温度	-10℃~+50℃
精度	±0.3℃
湿度	0~95%RH
尺寸	±3%
重量	CR2450
安装方式	40mm*13mm
接口类型	Zigbee

- Zigbee□□□□□□□□□□□□□□□□

[illegible]

□ □ □ □ □ □ □

Zigbee Intelligent Gateway

透過 Zigbee Smart Gateway Network 透過 Zigbee Smart Hub


ACCESS

-
- Smart Life Smart Gateway
-
-
-






Temperature & Humidity Sensor



Note: need zigbee Hub



Temperature detection range: $-10^{\circ}\text{C} \sim 50^{\circ}\text{C}$

Humidity detection range: $0\% \sim 95\%\text{RH}$

Battery type: CR2450

Wireless protocol: Zigbee



Real-time monitor

Intelligent linkage

low battery warning



Intelligent temperature and humidity sensor,
intelligent linkage Weather in control and
make you comfortable every day.

Easy and quick installation

double-sided adhesive on back,
stick to any intent to use



Product information

The temperature and humidity sensor can detect the temperature and humidity in the environment in real time, and combines with other devices to implement intelligent application scenarios.


Distribution network indicator



Reset hole



Preparation for use



Make sure that the product is within the effective coverage of the smart host (gateway) Zigbee network to ensure the effective connection between the product and the smart host (gateway) Zigbee network.

*Make sure that the smart host has been added.

② Download and open the APP

Search for "Smart Life" in the App store or scan the QR code in the manual to download and install the App. Press the "Register" button to register an account if this is your first time use; if you already have an account, press the "Login" button.



Product specification

Product name:	Temperature and humidity sensor
Product model:	IH-K009
Battery type:	CR2450
	-10°C~50°C
Temperature detection accuracy:	$\pm 0.3^{\circ}\text{C}$
Humidity detection range:	0%~95%RH (no condensation)
Humidity detection accuracy:	$\pm 3\%$
Wireless protocol:	Zigbee
Product size:	$\Phi 40 \times 13\text{mm}$
Product weight:	about 17g

Packing list

- Sensor X1
- User manual X1
- Reset pin X1