128x160 LCD □□□ 20□ Pin MCU □□ □□□ □□ 1.8 □□ TFT LCD □□□□□

PRODUCT INFORMATION

TFT LCD DISPLAY

LCD □□	128x160 LCD □□□ 20□ Pin MCU □□ □□□ □□ 1.8 □□ TFT LCD □□□□□		
□□	1.8 □□ LCD □□	□□	128 (RGB) X160 □□
□□ □□ (ms)	8	□□□	500 : 1
□□ □□	34.00x 43.70 x 2.40mm	**□□ □□ (HxV mm)**	28.03x35.04mm
□□ □□	12□	□□ □□	8 □□ MCU, 20 □
□□□□	2 □□ LED	□□	150cd / m2
□□ □□	-20 ℃ ~ 70 ℃	□□□□ □□ □□ / □□	30mA, 3.3V

* KWH018ST04-F01 V.1□ □□ □□□ □□ □□□ □□□□ □□ □□□□□ (LCD)□□□.
* TFT LCD □□, □□□□ IC, FPC, □□□□□ □□□□□.
* 128x160 □□□ TFT LCD □□□□□.
* 200-1500cd / m2□ □□□ □□ □□□ □□ □□□□□ □□□ □ □□□□.
* □□ □□ □□□ □□ □ □□□ □□ □ □ □□□□.
* RoHS □ REACH □□.
* □□□ □□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□□.

20 □ MCU □□□□□□ □□□□ 128x160 □□□□ 1.8 □□ TFT LCD □□□□□□ □□□, MP3 PMP, □□ □□ □□, □□□□ □□, □□ □□ □ □□ □□ LCD □□□□ □□ □□□□□.

Formike Group□ □□□ □□, LCD □□□□□ □□ □□, LCD □□ □□ □□□ □□ □□ □□□ □□□□□. □□□ □ □□□ □□□□ □□□□□□. □□□ □□ □□ □□□ □□□□ □□ □□□□□.

PRODUCT DISPLAY

TFT LCD DISPLAY



TFT LCD DISPLAY

PRODUCT DETAILS

- High contrast reachs to 500:1
- 20 Pin Soldering FPC 8 bit MCU Interface
- 1.8 Inch 128x160 TFT LCD Display Module
- Fast response time reachs to 8ms
- Apply for big volume only
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system