

37 Pin 2.4" 240x320 IPS TFT LCD



PRODUCT INFORMATION

T F T L C D D I S P L A Y

LCD	37 Pin 2.4" 240x320 IPS TFT LCD		
	2.4" LCD		240 (RGB) X320
Response Time (ms)	35	37 Pintrast Co2.4" 240x320 IPS TFT LCD	800 : 1
Dimensions	42.72x 60.26 x 2.50mm	Dimensions (HxV mm)	36.72x48.96mm
Resolution		Resolution	16 MCU, 37 Pin
Backlight	4 LED	Backlight	200cd / m2
Operating Temp	-20 °C ~ 70 °C	Power Consumption	60mA, 3.3V

* KWH024Q16-F01 is a 37-pin 2.4-inch 240x320 IPS TFT LCD (LCD).

* TFT LCD, IC, FPC, and other components.

* 240x320 IPS TFT LCD.

* 200-1500cd / m2 brightness, 800:1 contrast ratio.

* 16 MCU, 37 Pin.

* RoHS and REACH compliant.

* KWH024Q16-F01 is a 16 MCU, 37 Pin, 2.4-inch 240x320 IPS TFT LCD.


ILI9341 IC, 2.4-inch 240x320 IPS TFT LCD.

MP3 PMP, 2.4-inch LCD, 200cd / m2, 800:1 contrast ratio.

2.4-inch LCD, 16 MCU, 37 Pin, 200cd / m2, 800:1 contrast ratio.

PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

PRODUCT DETAILS



- High contrast reaches to 800:1
- With ILI9341 IC & 4 White LED
- 37 Pin FPC 16-bit MCU Interface
- Good resolution with 240x320
- 2.4" TFT LCD module with free viewing direction
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system