

# 37 Pin 2.4" 240x320 IPS TFT LCD



## PRODUCT INFORMATION

T F T L C D D I S P L A Y

|                    |                                 |  |                |
|--------------------|---------------------------------|--|----------------|
| <b>LCD</b>         | 37 Pin 2.4" 240x320 IPS TFT LCD |  |                |
|                    | 2.4" LCD                        |  | 240 (RGB) X320 |
| Response Time (ms) | 35                              | 37 Pintrast Co2.4" 240x320 IPS TFT LCD | 800 : 1        |
| Dimensions         | 42.72x 60.26 x 2.50mm           | Dimensions (HxV mm)                    | 36.72x48.96mm  |
| Resolution         |                                 | Resolution                             | 16 MCU, 37     |
| Backlight          | 4 LED                           | Backlight                              | 200cd / m2     |
| Operating Temp     | -20 °C ~ 70 °C                  | Power Consumption                      | 60mA, 3.3V     |

\* KWH024Q16-F01 37 Pin 2.4" 240x320 IPS TFT LCD (LCD) module.

\* TFT LCD, IC, FPC, etc.

\* 240x320 IPS TFT LCD module.

\* 200-1500cd / m2 brightness module.

\* RoHS & REACH compliant.

\* RoHS & REACH compliant.

\* 16 MCU, 37 Pin, 2.4" 240x320 IPS TFT LCD module.


KWH024Q16-F01 16 MCU, 37 Pin, 2.4" 240x320 IPS TFT LCD module.

ILI9341 IC, MP3 PMP, etc.

2.4" LCD module.

# PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

## PRODUCT DETAILS



- High contrast reaches to 800:1
- With ILI9341 IC & 4 White LED
- 37 Pin FPC 16-bit MCU Interface
- Good resolution with 240x320
- 2.4" TFT LCD module with free viewing direction
- Support OEM & ODM Service

# APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system