480x272 TFT □□□ □□□□□ 40 □ HDMI LCD □□□ □□□□ □□□□□ 4.3 □□ LCD □□

LCD □□	480x272 TFT □□□ □□□□□ 40 □ HDMI LCD □□□ □□□□ □□□□□ 4.3 □□ LCD □□		
LCD □□	4.3 □□ LCD □□	□□	480 (RGB) X272 □□□
□□ □□	1600 □	□□□	500 : 1
□□ □□	105.5x 67.20 x 3.0mm	□□ □□ **(HxV mm)**	95.04x53.86mm
□□ □□	6□ □□	□□ □□	24 □□ RGB, 40 □
□□□□	7 □□ LED	□□	300cd / m2
□□ □□	-20 ℃ ~ 70 ℃	□□□□ □□ □□ / □□	20mA, 3.3V
HDMI LCD □□□□ □□ □□			

* KWH043ST43-F01□ □□□ □□ □□□ □□□□ □□ □□□□□ (LCD)□□□.
* TFT LCD □□, □□□□ IC, FPC, □□□□□ □□□□□.
* 480x272 □□□□ TFT LCD □□□□□.
* 200-1500cd / m2□ □□□ □□ □□□ □□ □□□□□ □□□ □ □□□□.
* □□ □□ □□□ □□ □ □□□ □□ □ □ □□□□.
* RoHS □ REACH □□.
* □□□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □□□□□.

PRODUCT DISPLAY

TFT LCD DISPLAY



UT-2080-V.1

TFT LCD DISPLAY



PRODUCT DETAILS

- High contrast reachs to 500:1
- With ST7282 IC & 7 White LED
- 40 Pin FPC RGB Interface
- Good resoltuion with 480x272
- 4.3" Landscape With 16M Color Depth
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system