

# 5" TFT LCD 480x272 5" LCD



## PRODUCT INFORMATION


T F T L C D D I S P L A Y

|                       |                           |                     |                 |
|-----------------------|---------------------------|---------------------|-----------------|
| <b>LCD</b>            | 5" TFT LCD 480x272 5" LCD |                     |                 |
| Resolution            | 480 (RGB) X272            | Refresh Rate        | 30              |
| Response Time (ms)    | 30                        | Aspect Ratio        | 500 : 1         |
| Dimensions (mm)       | 120.70x 75.80 x 3.10mm    | Panel Size (HxV mm) | 110.88x62.832mm |
| Thickness             | 6mm                       | Color               | 24-bit RGB, 40° |
| Backlight             | 12 LED                    | Brightness          | 350cd / m2      |
| Operating Temperature | -20 °C ~ 70 °C            | Power Consumption   | 40mA, 19.2V     |

- \* KWH050ST18-F04 V.1 TFT LCD module (LCD) module.
- \* TFT LCD module, IC, FPC, etc.
- \* 480x272 TFT LCD module.
- \* 200-1500cd / m2 brightness module.
- \* RoHS and REACH compliant.
- \* 5" TFT LCD module.


# PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

## PRODUCT DETAILS



- High contrast reaches to 500:1
- With ILI6480B IC & 12 White LED
- 40 Pin FPC 24 BIT RGB Interface
- Good resolution with 480x272
- 5" TFT LCD Display With 16.7M Color Depth
- Support OEM & ODM Service

# APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system