RGB LCD □□ 320x240 TFT □□□□□ □□□ □□□ □ 3.5 □□ LCD □□ □□□

LCD □□	RGB LCD □□ 320x240 TFT □□□□□ □□□ □□□ □ 3.5 □□ LCD □□ □□□		
□□	3.5 □□ LCD □□	□□	320 (RGB) x240 □□□
□□ □□ **(ms)**	25.	□□□	400 : 1.
□□ □□	77.00x 64.25 x 4.40mm	□□ □□ **(HXV mm)**	70.08x52.56mm.
□□□□	6□ □□	□□ □□	24 □□ RGB, I2C, 54 Pin.
□□□□	6 LED	□□	250cd / m2.
□□ □□	-20 ℃ ~ 70 ℃	□□□□ □□ □□ / □□	20mA, 19.2V.

* kWH035ST48-C01□ □□□ □□ □□ □□□□ □□ □□□□□ (LCD)□□□.
* TFT LCD □□, □□□□ IC, FPC, □□□□, CTP□ □□□□□.
* 320x240 □□□ TFT LCD □□□□□.
* □□ □□ □ □□ □□ □ □□□ □□ □□□□□ □□.
* 200 - 1500cd / m2□□ □□ □□ □□□□□ □□□□□ □□□ □ □□□□.
* □□ □□ □□□ □□□□ □□□ □□ □ □ □□□□.
* RoHS & REACH □□.
* □□□ □□ □□ □ □□□ □□ □□□ □□□□ □□□□□□.

PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

PRODUCT DETAILS

- High contrast reachs to 800:1
- With HX8238-D IC & 6 White LED
- 54 Pin FPC 24-bit RGB Interface
- Good resoltuion with 320x240
- 3.5" TFT LCD module with CTP
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system