□□ LCD □□□ □□ 1.28 □□ LCD □□□□□ 240 * 240 TFT LCD □□

LCD □□	□□ LCD □□□ □□ 1.28 □□ LCD □□□□□ 240 * 240 TFT LCD □□		
LCD □□	1.28 □□ LCD □□	□□	240 (RGB) X240 □□
□□□	262k	□□□	1100 : 1
□□ □□	35.60x 38.10 x 1.50mm	□□ □□ **(HxV mm)**	32.40x32.40mm
□□ □□	□□	□□ □□	SPI, 24 □
□□□□	2 □□ □□ LED	□□	350cd / m2
□□ □□	-20 ℃ ~ 70 ℃	□□□□ □□ □□ / □□	40mA, 3.1V

* KWH012ST01-F01□ □□ □□ □□□ □□ □□□ □□□□ □□ □□□□□ (LCD)□□□.
* TFT LCD □□, □□□□ IC, FPC, □□□□, CTP□ □□□□□.
* 240x240 □□□□ TFT LCD □□□□□.
* 200-1500cd / m2□ □□□ □□ □□□ □□ □□□□□ □□□ □ □□□□.
* □□ □□ □□□ □□ □ □□□ □□□ □ □□□□.
* RoHS □ REACH □□.
* □□□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □□□□□.

PRODUCT DISPLAY

TFT LCD DISPLAY

TFT LCD DISPLAY

PRODUCT DETAILS

- High contrast ratio reachs to 1100:1
- 24 Pin FPC RGB interface
- 1.28 Inch 240x240 Round TFT LCD Display
- With GC9A01 IC & 2 White LED In parallel
- With Capacitive Touch Panel
- Processing customization

APPLICATION

TFT LCD DISPLAY

01 Civilian equipment

02 Office tools

03 Traffic instrument

04 Mini screen

05 Medical and beauty equipment

06 Smart device

07 Automation

08 Control system