

2.4 Inch 240x320 IPS TFT LCD Module With 37 Pin



PRODUCT INFORMATION

TFT LCD DISPLAY

| | | | |
|------------------------------|---|--|--------------------|
| LCD Name | 2.4 Inch 240x320 IPS TFT LCD Module With 37 Pin | | |
| Type | 2.4 Inch LCD Module | Resolution | 240(RGB)X320 pixel |
| Response Time(ms) | 35 | Co2.4 Inch 240x320 IPS TFT LCD Module With 37 Pin trast Ratio | 800:1 |
| Outline Dimension | 42.72x 60.26 x 2.50mm | Active Area(HxV mm) | 36.72x48.96mm |
| Viewing Direction | Free | Interface | 16 bit MCU, 37 Pin |
| Backlight | 4 LED | Brightness | 200cd/m2 |
| Operating Temperature | -20℃~70℃ | Backlight Supply Current/Voltage | 60mA, 3.3V |

* KWH024Q16-F01 is a small Transmissive type color active matrix liquid crystal display (LCD).

* It is composed of a TFT LCD panel, driver IC, FPC, backlight.

* It is 240x320 resolution TFT LCD module.

* Backlight with different brightness options from 200 - 1500cd/m2 are available.

* Specific touch panel can be designed & customized.

* RoHS & REACH compliant.

* If you can't find a suitable one, contact us to get a recommendation.


KWH024Q16-F01 is 2.4 Inch 240x320 IPS TFT LCD Module with ILI9341 driver ic, which support 16 bit MCU interface.

It's portrait display type. And it's widely used for small mobile phone, handheld terminal, MP3 PMP and Instrumentation display , etc.

If you need to purchase any 2.4 Inch LCD Display, please feel free to contact us.

PRODUCT DISPLAY

T F T L C D D I S P L A Y



T F T L C D D I S P L A Y

PRODUCT DETAILS



- High contrast reaches to 800:1
- With ILI9341 IC & 4 White LED
- 37 Pin FPC 16-bit MCU Interface
- Good resolution with 240x320
- 2.4" TFT LCD module with free viewing direction
- Support OEM & ODM Service

APPLICATION

TFT LCD DISPLAY



01 Civilian equipment



02 Office tools



03 Traffic instrument



04 Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system