### 7 Inch LCD Screen Display High Brightness Sunlight Readable 800nits TFT 7.0" LCD Panel With 800\*480 Resolution



## PRODUCT INFORMATION

TFT LCD DISPLAY

LCD Name	7 Inch LCD Screen Display High Brightness Sunlight Readable 800nits TFT 7.0'' LCD Panel With 800*480		
	Resolution		
LCD Size	7 inch LCD Module	Resolution	800(RGB)X480 Resolution
Color Depth	16.7M	Contrast Ratio	500:1
Outline Dimension	164.90x 100.00 x 5.5mm	Active Area(HxV mm)	154.08x85.92mm
Viewing Direction	12 O'clock	Interface	Digital, 24 BIT RGB, 50 Pin
Backlight	27 White LED	Brightness	800cd/m2
<b>Operation Temperature</b>	-20~70°C	Backlight Supply Current/Voltage	180mA 9.6V
Anti- Glare Surface Treatment & a-si TFT Display element			

Anti- Glare Surface Treatment & a-si TFT Display element

Applying for Automobile products, medical treatment, instrument Device and other electronic Products

\* KWH070KQ38-F05 V.1 is a Transmissive type color active matrix liquid crystal display (LCD).

\* It is composed of a TFT LCD panel, driver IC, FPC, backlight.


\* It is 800x480 resolution TFT LCD module.

\* Backlight with different brightness options from 200 - 1500cd/m2 are available.


- \* Specific touch panel can be designed & customized.
- \* RoHS & REACH compliant.
- \* If you can't find a suitable one, contact us to get a recommendation.

### **PRODUCT DISPLAY**

TFT LCD DISPLAY



#### TFT LCD DISPLAY



# **PRODUCT DETAILS**

High brightness reachs to 800cd/m<sup>2</sup> Anti- Glare surface treatment & a-si TFT 50 Pin FPC 24 BIT RGB Interface Good resoltuion with 800x480 7" TFT LCD With 12 O'clock viewing angle Support OEM & ODM Service

## APPLICATION

TFT LCD DISPLAY



0 Civilian equipment



02 Office tools







Mini screen



05 Medical and beauty equipment



06 Smart device



07 Automation



08 Control system